

SU/DSV
KTH/ICT

QUERYING XML DATA WITH XQUERY

v. 2.2

IV1351 - Data Storage Paradigms
IV1023 - Advanced Information Handling with XML

March 2016

*Rafael Cordones Marcos
nikos dimitrakas*

Table of contents

1 Introduction	3
2 XQuisitor.....	3
3 Example data	4
4 XQuery	5
4.1 Data Model	5
4.2 Serialization and Deserialization of XML Documents.....	6
4.3 XPath Expressions	6
4.4 Iteration and Variable Declaration (FLWOR expressions).....	7
4.5 XQuery and XPath Functions and Operators.....	8
5 Example Queries Explained	9
5.1 Query 1: Basic XPath Expressions and Loops	10
5.2 Query 2: Predicates in XPath expressions (1)	13
5.3 Query 3: Predicates in XPath expressions (2)	14
5.4 Query 4: Using functions in queries	14
5.5 Query 5: Renaming Attribute Names in the Result.....	15
5.6 Query 6: Subqueries and Variable Declaration	16
5.7 Query 7: Adding Constraints with a WHERE Clause	19
5.8 Query 8: Conditionals (if – then – else).....	21
5.9 Query 9: Attribute Creation with the attribute Keyword	24
5.10 Query 10: Joining two structures	27
5.11 Query 11: Queries from more than one XML Source.....	29
5.12 Query12: Query Based on the Name of Nodes (Labels)	32
5.13 Using computed constructors.....	34
6 XQuery 3.....	36
6.1 BaseX.....	36
7 Epilogue	37
8 References.....	37

1 Introduction

This document is a brief introduction to XQuery, a query language for querying XML data. It is based on the article *XQuery: An XML query language* [1] but contains examples that will relate XQuery to other query languages you have probably seen before.

The main contents of this document are:

- An very brief introduction to XQuery
- An introduction to the tool we will use: XQuisitor
- Examples and exercises on using XQuery for querying XML data

It is **strongly recommended** that you **study** the article in reference [1] (especially pages 597 to 609), “*XQuery: An XML query language*”. Throughout this document we will make references and use concepts found in that article. You will therefore not be able to understand this document without having studied the article first. It is also recommended that you read through this entire document before starting to work with the exercises.

To understand the contents of this compendium you also need to have an understanding of XML and related concepts like: XML elements, XML attributes, data definition documents (DTDs), well-formed XML documents, valid XML documents, URLs, URIs, ...

This introduction focuses on XQuery 1 and XQuisitor (an execution environment that only supports XQuery 1). In chapter 6 there is some information about XQuery 3 and BaseX (an execution environment that supports XQuery 3).

2 XQuisitor

XQuisitor is a simple GUI written in Java that allows the user to evaluate XQuery 1 expressions. It's free software [4] so you can download a binary distribution as well as the source code of the application.

On the next page, XQuisitor's GUI is shown. We provide an explanation of the different parts of the GUI:


Menu (File, Edit, Query): provides the standard capabilities for loading, saving and printing queries, XML data files and query results.

Base URI: here you can select the Universal Resource Identifier (URI) that will be added as a prefix to relative URIs you use in your queries. The URI you choose here will almost always be a directory in your local disk, but you could also use a URL. We can use an example to make this functionality more clear. If you write in a query the function `doc("books.xml")` (we will explain later what this function does), XQuisitor will prepend to "books.xml" the URI indicated in Base URI before trying to open the books.xml file. So if, the Base URI textbox contains `file:/D:/labs/xquery/` and you use the function `doc("books.xml")` then XQuery will actually use `doc("file:/D:/labs/xquery/books.xml")`.

Context: in this textbox you can indicate which XML file you want to use for your queries. You can think of the context of a query as the XML input data.

Query area: you write your queries in this textbox.

Query result: you get the results of the query execution in this textbox. By selecting **Pretty Print** you will get the result indented. If you select **Wrap**, the result will be wrapped in an XML schema.



3 Example data

We provide you with four files `books.xml`, `books.dtd`, `publishers.xml` and `publishers.dtd` that we will use during the examples in this document. You can find the files in Bilda.

Have a look at these files so you can see what kind of data they contain before proceeding with the example queries. For most of the examples we will only use the file `books.xml`.

4 XQuery

This chapter builds on the article “*XQuery: An XML query language*” which you can find in reference [1]. We will briefly highlight some of the most important aspects of XQuery but you will need to **study** the article in order to understand XQuery and the rest of this document.

XQuery is a language focused on information retrieval from XML data. The result of evaluating an XQuery expression is not always a well-formed XML document. In XQuery you can have a query like

```
let $a := 3, $b := 5
return $a + $b
```

Which, when evaluated, would return the value 8.

XQuery keywords are case-sensitive which means that “where” is a correct XQuery keyword while “WHERE” is not.

4.1 Data Model

XQuery’s data model is explained thoroughly in pages 598 to 600 in the article. It is recommended, that before you go through the explanation of the example queries included in Chapter 5, you draw a representation of the file XML data in the file `books.xml`.

XML data is made of nodes and each node can be of several kinds, of which, element, attribute and text are the ones that concern us most. The following XML data, for instance,

```
<?xml version="1.0" encoding="UTF-8"?>
<Book Title="Database Systems in Practice" OriginalLanguage="English"
      Genre="Educational">
  <Author Name="Alan Griff" Email="ag@mit.edu" YearOfBirth="1972"
        Country="USA"/>
</Book>
```

consists, of two element nodes:

- Book with attribute nodes Title, OriginalLanguage and Genre
- Author with attribute nodes Name, Email, YearOfBirth and Country.

Each of the attribute nodes has a text node containing the contents of the attribute. For example, the attribute node Genre has a text node with the text Educational as its content.

4.2 Serialization and Deserialization of XML Documents

Serialization and deserialization is a very important concept in computer science and you have probably met it before with a different name. Serialization [5] is the process by which a data structure residing in memory is stored in a persistent medium. Usually, in the domain of programming languages (like Java) this data structure is an object or a graph of objects. Serializing the object, means storing it on disk (usually in a file). In the XML domain, we serialize XML which resides in memory to an XML file. Deserialization is then the inverse process, taking an XML file and building a representation of it in memory.

4.3 XPath Expressions

XQuery builds on XPath, which is a language for selecting parts of XML documents. You will almost always use an XPath expression in your queries. Their main purpose is to select nodes from the input XML data.

An XPath expression starts with the slash character “/” which indicates the root of the input XML document. Every slash in the expressions indicates a next step and **the result of each step is a sequence of nodes**. The character “@” (pronounced “at”) is used to select an attribute.

Examples (using the `books.xml` file as a context for the query):

- The expression “`//Book`” evaluates to a sequence of nodes with all the `Book` elements. We use two slashes because we want to *step over* the first element, which is `BookCollection`.
- “`//Book/@Title`” evaluates to a sequence of attribute nodes `Title`.

XPath expressions are case-sensitive, so “`//Book/@Title`” will return the desired values while the expressions “`//Book/@title`”, “`//book/@Title`” or “`//book/@title`” will not.

We use predicates in XPath expressions to select nodes from the input XML data. Predicates are written between brackets “[]”. So to select the authors born after 1950 we would write the expression “`//Author[@YearOfBirth > 1950]`”. And to select **only the name** of those authors we would write “`//Author[@YearOfBirth > 1950]/@Name`”.

To navigate the nodes of an XML document, we use the characters “`..`” and “`.`” to indicate the parent node and current node respectively. Much as we do when navigating the file system in our computer. Continuing with the previous example, if we would like to find **the title of the books** with authors born after 1950 we would write the expression “`//Author[@YearOfBirth > 1950]/../@Title`”.

4.4 Iteration and Variable Declaration (FLWOR expressions)

We just finished the last section with the expression “//Author[@YearOfBirth > 1950]/../@Title”. This expression evaluates to a sequence of attribute nodes so if you try to evaluate it you will get an error because they are attribute nodes and not **element** nodes. An XML document is made up of element nodes and thus the result of the previous query cannot be serialized into an XML document.

We would need to loop over the sequence of attribute nodes and convert each of them to an element node. A FLWR (from **f**or-**l**et-**w**here-**o**rd-**r**eturn, pronounced “flower” expression will do the trick! The **for** clause loops through **each** of the elements in a sequence:

```
for $t in //Author[@YearOfBirth > 1950]/../@Title
return <Book>{ $t }</Book>
```

The **let** clause assigns a value to a variable for each of the elements in the **for** clause:

```
for $b in //Author[@YearOfBirth > 1950]/..
let $t := $b/@Title
return <Book>{ $t }</Book>
```

and the **return** clause constructs the resulting element. We can optionally sort the results by title with the **order by** clause:

```
for $b in //Author[@YearOfBirth > 1950]/..
let $t := $b/@Title
order by $t
return <Book>{ $t }</Book>
```

The difference between **for** and **let** clauses is that while the **for** clause binds the variable to each of the elements in the sequence, the **let** clause binds the variable only once. Using a different example, in which we want to retrieve the books and their translations

```
for $b in //Book
let $t := $b//Translation
return <Book> { $b/@Title , $t } </Book>
```

the variable **\$b** is bound to **each one** of the books in the resulting sequence of evaluating the XPath expression **//Book**. For each of those books, the variable **\$t** is bound to **all** the translations of the given book.

4.5 XQuery and XPath Functions and Operators

XQuery provides a fairly good amount of operations and functions. It is even possible to define your own functions. In this section we provide a brief summary of some of the most commonly used functions some of which we will use in the examples in Chapter 5. Refer to reference [3] to find the complete list and explanation. Remember that XQuery and XPath are case-sensitive languages!

<code>doc(URI)</code>	Returns the XML data contained in the file or resource indicated by the URI.
<code>distinct-values(s)</code>	Returns a sequence of literals without duplicates by first evaluating the value of each node in sequence <i>s</i> .
<code>data(s)</code>	Converts a sequence of nodes to a sequence of their values.
<code>name()</code>	Evaluates to the name of a node.
<code>starts-with(s1,s2)</code>	String function. Evaluates to true if string <i>s1</i> starts with string <i>s2</i> .
<code>count(s)</code>	Sequence function. Evaluates to an integer that indicates the number of items in sequence <i>s</i> .
<code>min(s), max(s), sum(s), avg(s)</code>	Functions that operate on sequences.
<code>not(exp)</code>	Boolean function that inverts the value of the parameter.
<code>concat(s1, s2)</code>	Function that concatenates two sequences or strings.
<code>empty(s)</code>	Function that returns true if sequence <i>s</i> contains no items.
<code>exists(s)</code>	Function that returns true if sequence <i>s</i> is not empty.
<code>matches(s, regexp)</code>	Evaluates to true when the regular expression <i>regexp</i> matches the string <i>s</i> .

For the complete list of core functions and operators in XPath and XQuery see [3] or visit the quick reference at <http://www.w3.org/TR/xpath-functions/#quickref>.

5 Example Queries Explained

During the following example queries we will always want one XML document as a result of our query. Remember that the result of an XQuery query is a sequence of XML nodes and when this sequence of nodes is serialized to XML, each node will be treated as an XML document. Thus, the query

```
//Book
```

will return the following result:

```
<?xml version="1.0" encoding="UTF-8"?>
<Book Title="Misty Nights" OriginalLanguage="English" Genre="Thriller">
  <Author Name="John Craft" Email="jc@jc.com" YearOfBirth="1948"
    Country="England"/>
  ...
</Book>
<?xml version="1.0" encoding="UTF-8"?>
<Book Title="Archeology in Egypt" OriginalLanguage="English"
  Genre="Educational">
  <Author Name="Arnie Bastoft" Email="bastoft@frei.at"
    YearOfBirth="1971" Country="Austria"/>
  ...
</Book>
<?xml version="1.0" encoding="UTF-8"?>
<Book Title="Database Systems in Practice" OriginalLanguage="English"
  Genre="Educational">
  <Author Name="Alan Griff" Email="ag@mit.edu" YearOfBirth="1972"
    Country="USA"/>
  ...
</Book>
<?xml version="1.0" encoding="UTF-8"?>
<Book Title="Contact" OriginalLanguage="English" Genre="Science Fiction">
  <Author Name="Carl Sagan" Email="carlsagan@nasa.gov"
    YearOfBirth="1913" Country="USA"/>
  ...
</Book>
<?xml version="1.0" encoding="UTF-8"?>
<Book Title="The Fourth Star" OriginalLanguage="English"
  Genre="Science Fiction">
  ...
</Book>
...
```

As you can see, we get an XML document for each book. In the following examples, we will want one XML as a result of a query. Thus, we will surround each query with the result element. Like in

```
<result>
{ //Book }
</result>
```

We also make use of the “...” symbol to indicate that there is more XML data that we do not show since it is not relevant to our discussion.

5.1 Query 1: Basic XPath Expressions and Loops

What are the titles of all the books?

A first approach to solving this query would be to create an XPath expression that would return the desired values from the attribute `Title` of the element `Book`.

With the following expression

```
<result>
{ //Book }
</result>
```

we obtain a sequence of `Book` elements:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Book Title="Misty Nights" OriginalLanguage="English" Genre="Thriller">
    <Author Name="John Craft" Email="jc@jc.com"
      YearOfBirth="1948" Country="England"/>
    <Edition Year="1987" Price="120">
      <Translation Language="German" Publisher="Kingsly"
        Price="130"/>
      <Translation Language="French" Publisher="Addison"
        Price="135"/>
      <Translation Language="Russian" Publisher="Addison"
        Price="125"/>
    </Edition>
  </Book>
  <Book Title="Archeology in Egypt" OriginalLanguage="English"
    Genre="Educational">
    <Author Name="Arnie Bastoft" Email="bastoft@frei.at"
      YearOfBirth="1971" Country="Austria"/>
    <Author Name="Meg Gilmand" Email="megil@archeo.org"
      YearOfBirth="1968" Country="Australia"/>
    <Author Name="Chris Ryan" Email="chris@egypt.eg" YearOfBirth="1944"
      Country="France"/>
    <Edition Year="1992" Price="250">
      <Translation Language="Swedish" Price="340" Publisher="N/A"/>
      <Translation Language="French" Price="320" Publisher="N/A"/>
    </Edition>
  ...
</result>
```

But we want only the contents of the attribute `Title`! We can try the following XPath expression:

```
<result>
{ //Book/@Title }
</result>
```

But we will get

```
<?xml version="1.0" encoding="UTF-8"?>
<result Title="Oceanography for Dummies"/>
```


This happens because, as we mentioned earlier, XPath expressions can only select nodes or attributes from the input XML data and **cannot create new nodes**. Besides that, the result of an XQuery expression is always a sequence of nodes of type Element or Document. This means that we need to build a node out of the contents of the Title attribute:

```
<result>
  <title> { //Book/@Title } </title>
</result>
```

With this query you will get only one result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <title Title="Oceanography for Dummies"/>
</result>
```

This is how it would look if you run the query in XQuisitor:



If you look at the XML database (in the file `books.xml`) you will see that this title corresponds to the last book in the collection. This happens because the XPath expression `//Book/@Title` results in a sequence of nodes of type Attribute and all the nodes have the same attribute name, i.e. `Title`. Therefore, when serializing the XML document to produce the result, only the last value of the attribute is taken.

To solve this query we need to loop through all the `Book` elements and return the contents of the `Title` attribute. With the following query:

```
<result>
{
  for $b in //Book
  return <title> { $b/@Title } </title>
}
</result>
```

We obtain

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <title Title="Misty Nights"/>
  <title Title="Archeology in Egypt"/>
  <title Title="Database Systems in Practice"/>
  <title Title="Contact"/>
  <title Title="The Fourth Star"/>
  <title Title="Våren vid sjön"/>
  <title Title="Dödliga Data"/>
  <title Title="Music Now and Before"/>
  <title Title="Midsommar i Lund"/>
  <title Title="Encore une fois"/>
  <title Title="European History"/>
  <title Title="Musical Instruments"/>
  <title Title="Oceans on Earth"/>
  <title Title="The Beach House"/>
  <title Title="Le chateau de mon pere"/>
  <title Title="Oceanography for Dummies"/>
</result>
```

We are one step closer to our target but as you can see from the result, we have `title` elements with a `Title` attribute. This happens because in the return clause of our query we have selected the attribute **but not the contents of the attribute!** We can do this with the built-in `data()` function:

```
<result>
{
  for $b in //Book
  return <title> { data($b/@Title) } </title>
}
</result>
```

And we finally obtain:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <title>Misty Nights</title>
  <title>Archeology in Egypt</title>
  <title>Database Systems in Practice</title>
  ...
</result>
```

How would we sort the titles? Using the `order by` clause

```
<result>
{
  for $b in //Book
  order by data($b/@Title)
  return <title> { data($b/@Title) } </title>
}
</result>
```

will yield:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <title>Archeology in Egypt</title>
  <title>Contact</title>
  <title>Database Systems in Practice</title>
  ...
</result>
```

By default, the ordering is that of the English language but it is possible to order strings according to the order of the letters of other languages. In the Swedish alphabet, for instance, the letters “å”, “ä” and “ö” go after “z” and thus it might be necessary for you to specify a collation. “A *collation* is a specification of the manner in which character strings are compared and, by extension, ordered” [2]. This means that if we want to order the previous list using the Swedish collation we will need to indicate this in the `order by` clause using the `collation` keyword in the `order by` clause:

```
<result>
{
for $b in //Book
order by data($b/@Title) collation "sv"
return <title> { data($b/@Title) } </title>
}
</result>
```

5.2 Query 2: Predicates in XPath expressions (1)

Which are the authors of the second book in the database?

To solve this query we need to create an XPath expression with a predicate that will filter out all the Book element nodes except for the second:

```
<result>
{ //Book[2]/Author }
</result>
```

As you can see, a predicate containing only a number, evaluates to true when the predicate is evaluated with the node in the sequence that occupies the position represented by that number. In the aforementioned example, the predicate [2] evaluates to true when the second node is evaluated and thus it is the only one that is returned. The predicate [2] is an abbreviation of the predicate `[position() = 2]`.

5.3 Query 3: Predicates in XPath expressions (2)

Which are the authors of the book with the title "Archeology in Egypt"?

To solve this query we need to create an XPath expression with a predicate that will filter out all the Book element nodes except for the one we are interested in. Remember that predicates in XPath expressions can only **remove** nodes from the result:

```
<result>
{ //Book[@Title = "Archeology in Egypt"]/Author }
</result>
```

Results in:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Author Name="Arnie Bastoft" Email="bastoft@frei.at"
    YearOfBirth="1971" Country="Austria"/>
  <Author Name="Meg Gilmand" Email="megil@archeo.org"
    YearOfBirth="1968" Country="Australia"/>
  <Author Name="Chris Ryan" Email="chris@egypt.eg"
    YearOfBirth="1944" Country="France"/>
</result>
```

5.4 Query 4: Using functions in queries

How many authors are there in the database?

To solve this query we will use a function that given a sequence of nodes, returns the amount of nodes in the sequence.

```
<result>
{count(//Book/Author)}
</result>
```

Which gives the following result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>32</result>
```

But this would not solve the question since the same author can appear in many books. We need to remove duplicate values from the sequence of author elements. We do it with the function `distinct-values()` and we need to use the Name attribute of the Author element since the actual content of the Author element is empty:

```
<result>
{count(distinct-values(//Book/Author/@Name))}
</result>
```

Which gives the result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>29</result>
```

5.5 Query 5: Renaming Attribute Names in the Result

List all the titles and original language for all the books! Sort the results by language and then by title!

We can return the result using only XML elements with the query

```
<result>
{
for $b in //Book
order by $b/@OriginalLanguage, $b/@Title
return <Book>
  <Title>{ data($b/@Title) }</Title>
  <Language>{ data($b/@OriginalLanguage) }</Language>
</Book>
}
</result>
```

which gives:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Book>
    <Title>Archeology in Egypt</Title>
    <Language>English</Language>
  </Book>
  <Book>
    <Title>Contact</Title>
    <Language>English</Language>
  </Book>
  ...
</result>
```

Or only with attributes with the same name as in the input XML data (OriginalLanguage instead of Language):

```
<result>
{
for $b in //Book
order by $b/@OriginalLanguage, $b/@Title
return <Book> { $b/@Title, $b/@OriginalLanguage } </Book>
}
</result>
```

giving the result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Book Title="Archeology in Egypt" OriginalLanguage="English"/>
  <Book Title="Contact" OriginalLanguage="English"/>
  <Book Title="Database Systems in Practice" OriginalLanguage="English"/>
  ...
</result>
```

Or with attributes with a **different name** than in the input XML data:

```
<result>
{
for $b in //Book
order by $b/@Language, $b/@Title
return <Book Title = "{ $b/@Title }"
      Language = "{ $b/@OriginalLanguage }"/> }
</result>
```

which gives:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Book Language="English" Title="Archeology in Egypt"/>
  <Book Language="English" Title="Contact"/>
  <Book Language="English" Title="Database Systems in Practice"/>
  ...
</result>
```

5.6 Query 6: Subqueries and Variable Declaration

How many books of each genre are there?

This is the first example in which we will use an aggregate function and the GROUP BY clause. Recall from SQL the function `count()`. We will use a function with the same name to solve this query. We want the result to be ordered by the amount of books and by genre.

First we will write a query that will list all the genres:

```
<result>
{
for $g in //Book/@Genre
return <Genre Name="{ $g }"/>
}
</result>
```

which yields the following result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Genre Name="Thriller"/>
  <Genre Name="Educational"/>
  <Genre Name="Educational"/>
  <Genre Name="Science Fiction"/>
  <Genre Name="Science Fiction"/>
  <Genre Name="Novel"/>
  <Genre Name="Thriller"/>
  <Genre Name="Educational"/>
  <Genre Name="Novel"/>
  <Genre Name="N/A"/>
  <Genre Name="Educational"/>
  <Genre Name="Educational"/>
  ...
</result>
```

But as we can see, we get each genre repeated as many times as there are books with it. We can use the function `distinct-values()` to remove repetitions from the result:

```
<result>
{
for $g in distinct-values(//Book/@Genre)
return <Genre Name="{ $g }"/>
}
</result>
```

obtaining the result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Genre Name="Thriller"/>
  <Genre Name="Educational"/>
  <Genre Name="Science Fiction"/>
  <Genre Name="Novel"/>
  <Genre Name="N/A"/>
</result>
```

Now we can build a sub-expression that will list the books of each genre by writing a sub-expression and by a where clause to connect them:

```
<result>
{
for $g in distinct-values(//Book/@Genre)
order by $g
return
  <Genre Name="{ $g }">
    {
      for $b in //Book
      where $b/@Genre = $g
      return <Book Title="{ $b/@Title }"/>
    }
  </Genre>
}
</result>
```

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Genre Name="Educational">
    <Book Title="Archeology in Egypt"/>
    <Book Title="Database Systems in Practice"/>
    <Book Title="Music Now and Before"/>
    <Book Title="European History"/>
    <Book Title="Musical Instruments"/>
    <Book Title="Oceans on Earth"/>
    <Book Title="Oceanography for Dummies"/>
  </Genre>
  <Genre Name="N/A">
    <Book Title="Encore une fois"/>
    <Book Title="Le chateau de mon pere"/>
  </Genre>
  <Genre Name="Novel">
    <Book Title="Våren vid sjön"/>
    <Book Title="Midsommar i Lund"/>
    <Book Title="The Beach House"/>
  </Genre>
  <Genre Name="Science Fiction">
    <Book Title="Contact"/>
    <Book Title="The Fourth Star"/>
  </Genre>
  <Genre Name="Thriller">
    <Book Title="Misty Nights"/>
    <Book Title="Dödliga Data"/>
  </Genre>
</result>
```

But this was not really what we wanted. We didn't want to see the books. We wanted to count them. And we can do this with a nested XPath expression that finds the books of the current genre in the outer loop:

```
<result>
{
for $g in distinct-values(//Book/@Genre)
order by $g
return
  <Genre Name="{ $g }"
    NumberOfBooks="{ count(//Book[@Genre = $g]) }"/>
}
</result>
```

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Genre Name="Educational" NumberOfBooks="7"/>
  <Genre Name="N/A" NumberOfBooks="2"/>
  <Genre Name="Novel" NumberOfBooks="3"/>
  <Genre Name="Science Fiction" NumberOfBooks="2"/>
  <Genre Name="Thriller" NumberOfBooks="2"/>
</result>
```

And an even more condensed version of the previous query, using the let clause:

```
<result>
{
for $g in distinct-values(//Book/@Genre)
let $number := count(//Book[@Genre = $g])
order by $g
return
  <Genre Name="{ $g }" NumberOfBooks="{ $number }"/>
}
</result>
```

5.7 Query 7: Adding Constraints with a WHERE Clause

Which authors have written thrillers or science fiction?

To solve this question we start with the first step, i.e. list all the authors:

```
<result>
{ //Author }
</result>
```

which gives all the Author elements as result, and contains duplicates:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Author Name="John Craft" Email="jc@jc.com" YearOfBirth="1948"
    Country="England"/>
  <Author Name="Arnie Bastoft" Email="bastoft@frei.at" YearOfBirth="1971"
    Country="Austria"/>
  <Author Name="Meg Gilmand" Email="megil@archeo.org" YearOfBirth="1968"
    Country="Australia"/>
  <Author Name="Chris Ryan" Email="chris@egypt.eg" YearOfBirth="1944"
    Country="France"/>
  ...
</result>
```

Now we can modify the previous query to return only the names of the authors with no duplicates and ordered by name:

```
<result>
{
for $a in distinct-values(//Author/@Name)
order by $a
return <Author>{ $a }</Author>
}
</result>
```

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Author>Alan Griff</Author>
  <Author>Alicia Bing</Author>
  <Author>Andreas Shultz</Author>
  ...
</result>
```

Now we need to select only the authors that have written a thriller or a science-fiction book, i.e. the attribute Genre of the Book element has to be “Thriller” or “Science Fiction” and one of the authors must be the current one in the loop.

```
<result>
{
for $a in distinct-values(//Author/@Name)
where //Book[@Genre = "Thriller"]/Author/@Name = $a or
      //Book[@Genre = "Science Fiction"]/Author/@Name = $a
order by $a
return <Author>{ $a }</Author>
}
</result>
```

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Author>Carl Sagan</Author>
  <Author>Jakob Hanson</Author>
  <Author>John Craft</Author>
  <Author>Leslie Brenner</Author>
</result>
```

We have used the where clause to specify the required conditions on the books. We could optimize this by putting the right books in a variable:

```
<result>
{
for $a in distinct-values(//Author/@Name)
let $b := //Book[@Genre = ("Thriller", "Science Fiction")]
where $b/Author/@Name = $a
order by $a
return <Author>{ $a }</Author>
}
</result>
```

Another way would be to first find the books of the current author and then check the genre:

```
<result>
{
for $a in distinct-values(//Author/@Name)
let $b := //Book[Author/@Name = $a]
where $b/@Genre = ("Thriller", "Science Fiction")
order by $a
return <Author>{ $a }</Author>
}
</result>
```

5.8 Query 8: Conditionals (if – then – else)

Make a list of all the educational books and the authors that have written each book! Show the book title and the authors' name and country! Show only authors that are born after 1950!

We begin by listing all the educational books with

```
<result>
{
for $b in //Book
where $b/@Genre = "Educational"
order by $b/@Title
return <Book>{ $b/@Title }</Book>
}
</result>
```

and we get:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Book Title="Archeology in Egypt"/>
  <Book Title="Database Systems in Practice"/>
  <Book Title="European History"/>
  <Book Title="Music Now and Before"/>
  <Book Title="Musical Instruments"/>
  <Book Title="Oceans on Earth"/>
</result>
```

We could also have done a similar thing using the following XPath expression:

```
<result>
{
//Book[@Genre = "Educational"]
}
</result>
```

But if you try this expression you will see that you get all the contents (attributes and subelements) of the Book elements. As mentioned before, an XPath expression evaluates always to a sequence of nodes and cannot be used to delete **parts** of those nodes (attributes or subelements). Thus we cannot return parts of the Book element as a result using only an

XPath expression. We have the same situation with the Author elements in the following expression:

```
<result>
{
for $b in //Book[@Genre = "Educational"]
return <Book Title="{ $b/@Title }"> { $b/Author } </Book>
}
</result>
```

The result has the entire Author element:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Book Title="Archeology in Egypt">
    <Author Name="Arnie Bastoft" Email="bastoft@frei.at"
      YearOfBirth="1971" Country="Austria"/>
    <Author Name="Meg Gilmand" Email="megil@archeo.org"
      YearOfBirth="1968" Country="Australia"/>
    <Author Name="Chris Ryan" Email="chris@egypt.eg"
      YearOfBirth="1944" Country="France"/>
  </Book>
  <Book Title="Database Systems in Practice">
    <Author Name="Alan Griff" Email="ag@mit.edu"
      YearOfBirth="1972" Country="USA"/>
    <Author Name="Marty Faust" Email="marty@nyu.edu"
      YearOfBirth="1970" Country="USA"/>
    <Author Name="Celine Biceau" Email="celine.biceau@tok.cn"
      YearOfBirth="1969" Country="Canada"/>
  </Book>
  ...
</result>
```

Now we just need to select only the authors born after 1950 and return only the author's name and country:

```
<result>
{
for $b in //Book[@Genre = "Educational"]
return
  <Book Title="{ $b/@Title }">
    {
      for $a in $b/Author[@YearOfBirth > 1950]
      return <Author> { $a/@Name, $a/@Country } </Author>
    }
  </Book>
}
</result>
```

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Book Title="Archeology in Egypt">
    <Author Name="Arnie Bastoft" Country="Austria"/>
    <Author Name="Meg Gilmand" Country="Australia"/>
  </Book>
  <Book Title="Database Systems in Practice">
    <Author Name="Alan Griff" Country="USA"/>
    <Author Name="Marty Faust" Country="USA"/>
    <Author Name="Celine Biceau" Country="Canada"/>
  </Book>
  <Book Title="Music Now and Before">
    <Author Name="Mimi Pappas" Country="USA"/>
  </Book>
  <Book Title="European History"/>
  <Book Title="Musical Instruments">
    <Author Name="Alicia Bing" Country="Belgium"/>
  </Book>
  <Book Title="Oceans on Earth">
    <Author Name="Linda Evans" Country="USA"/>
    <Author Name="Chuck Morrisson" Country="England"/>
    <Author Name="Kay Morrisson" Country="England"/>
  </Book>
  <Book Title="Oceanography for Dummies">
    <Author Name="Linda Evans" Country="USA"/>
  </Book>
</result>
```

Note how we get the book entitled “*European History*” with no authors. If we wanted to discard this book from the result, we could use a conditional expression:

```
<result>
{
for $b in //Book[@Genre = "Educational"]
let $authors := $b/Author[@YearOfBirth > 1950]
return if (count($authors) > 0)
  then
    <Book Title="{ $b/@Title }">
      {
        for $a in $authors
        return <Author> { $a/@Name, $a/@Country } </Author>
      }
    </Book>
  else ""
}
</result>
```

which would return the same results as before except for not containing the book entitled “*European History*”. We have also defined a variable `$authors` since we need it twice. Note that the `else` part of the `if-then-else` construct is compulsory, i.e. you cannot avoid it even if, like in this case, you do not need it. Another way to do the same without using the `if-then-else` construct is by using the `where` clause:

```
<result>
{
for $b in //Book[@Genre = "Educational"]
let $authors := $b/Author[@YearOfBirth > 1950]
where count($authors) > 0
return <Book Title="{ $b/@Title }">
    {
        for $a in $authors
        return <Author> { $a/@Name, $a/@Country } </Author>
    }
    </Book>
}
</result>
```

Another equivalent condition could be this:

```
where exists($authors)
```

or

```
where not(empty($authors))
```

5.9 Query 9: Attribute Creation with the attribute Keyword

Show a list of all the authors born before 1940, the number of book editions they have written and the number of different languages each author's books have been translated to! Also show the average price of the book editions for each author! The result shall have the element Author with the following attributes: Name, NumberOfEditions, NumberOfTranslations and AverageEditionPrice. The result shall be sorted by author name!

```
<result>
{
for $a in //Author[@YearOfBirth < 1940]
order by $a/@Name
return <Author> { $a/@Name } </Author>
}
</result>
```

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Author Name="Andreas Shultz"/>
  <Author Name="Carl George"/>
  <Author Name="Carl Sagan"/>
  <Author Name="Christina Ohlsen"/>
  <Author Name="Franc Desteille"/>
  <Author Name="Kostas Andrianos"/>
  <Author Name="Lilian Carrera"/>
  <Author Name="Marie Franksson"/>
  <Author Name="Marie Franksson"/>
  <Author Name="Peter Feldon"/>
  <Author Name="Sam Davis"/>
  <Author Name="Sam Davis"/>
</result>
```

Note that we get duplicate authors and this is because the same author can appear in several books. In order to remove the duplicates we can use the `distinct-values()` function and the `attribute` keyword:

```
<result>
{
for $a in distinct-values(//Author[@YearOfBirth < 1940]/@Name)
order by $a
return <Author> { attribute Name { $a } } </Author>
}
</result>
```

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Author Name="Andreas Shultz"/>
  <Author Name="Carl George"/>
  <Author Name="Carl Sagan"/>
  <Author Name="Christina Ohlsen"/>
  <Author Name="Franc Desteille"/>
  <Author Name="Kostas Andrianos"/>
  <Author Name="Lilian Carrera"/>
  <Author Name="Marie Franksson"/>
  <Author Name="Peter Feldon"/>
  <Author Name="Sam Davis"/>
</result>
```

And now that we have eliminated the duplicates we can move on to count the number of editions:

```
<result>
{
for $a in distinct-values(//Author[@YearOfBirth < 1940]/@Name)
let $editions := //Author[@Name = $a]/../Edition
order by $a
return <Author>
  {
    attribute Name { $a },
    attribute NumberOfEditions { count($editions) }
  }
</Author>
}
</result>
```

We bind the `$editions` variable to a sequence of all the editions of each author independent on which book they appear in.

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Author Name="Andreas Shultz" NumberOfEditions="1"/>
  <Author Name="Carl George" NumberOfEditions="1"/>
  <Author Name="Carl Sagan" NumberOfEditions="1"/>
  <Author Name="Christina Ohlsen" NumberOfEditions="1"/>
  <Author Name="Franc Desteille" NumberOfEditions="1"/>
  <Author Name="Kostas Andrianos" NumberOfEditions="1"/>
  <Author Name="Lilian Carrera" NumberOfEditions="1"/>
  <Author Name="Marie Franksson" NumberOfEditions="3"/>
  <Author Name="Peter Feldon" NumberOfEditions="1"/>
  <Author Name="Sam Davis" NumberOfEditions="5"/>
</result>
```

We can now count the number of different languages and the average edition price:

```
<result>
{
  for $a in distinct-values(//Author[@YearOfBirth < 1940]/@Name)
  let $editions := //Author[@Name = $a]/../Edition,
      $languages := distinct-values($editions/Translation/@Language)
  order by $a
  return <Author>
    {
      attribute Name { $a },
      attribute NumberOfEditions { count($editions) },
      attribute NumberOfLanguages { count($languages) },
      attribute AverageEditionPrice { avg($editions/@Price) }
    }
}
</result>
```

Note that we can reach the languages and the prices by using the \$editions variable, instead of starting from the Author again.

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Author Name="Andreas Shultz" NumberOfEditions="1" NumberOfLanguages="12"
    AverageEditionPrice="650"/>
  <Author Name="Carl George" NumberOfEditions="1" NumberOfLanguages="12"
    AverageEditionPrice="650"/>
  <Author Name="Carl Sagan" NumberOfEditions="1" NumberOfLanguages="3"
    AverageEditionPrice="140"/>
  <Author Name="Christina Ohlsen" NumberOfEditions="1" NumberOfLanguages="12"
    AverageEditionPrice="650"/>
  <Author Name="Franc Desteille" NumberOfEditions="1" NumberOfLanguages="5"
    AverageEditionPrice="65"/>
  <Author Name="Kostas Andrianos" NumberOfEditions="1" NumberOfLanguages="12"
    AverageEditionPrice="650"/>
  <Author Name="Lilian Carrera" NumberOfEditions="1" NumberOfLanguages="12"
    AverageEditionPrice="650"/>
  <Author Name="Marie Franksson" NumberOfEditions="3" NumberOfLanguages="1"
    AverageEditionPrice="56"/>
  <Author Name="Peter Feldon" NumberOfEditions="1" NumberOfLanguages="12"
    AverageEditionPrice="650"/>
  <Author Name="Sam Davis" NumberOfEditions="5" NumberOfLanguages="8"
    AverageEditionPrice="350"/>
</result>
```

5.10 Query 10: Joining two structures

Which book has at least two authors from the same country?

We can start by trying to retrieve all the books with at least two authors for the same country:

```
<result>
{
  for $b in //Book, $a1 in $b/Author, $a2 in $b/Author
  where $a1/@Name != $a2/@Name and $a1/@Country = $a2/@Country
  order by $b/@Title
  return <Book Title="{ $b/@Title }"/>
}
</result>
```

We bind the variable \$b to each book, and then bind \$a1 and \$a2 to each of the authors of the current book. Then in the where clause we specify the conditions between the two authors. Note that all the authors will go through both variables, thus we need to make sure that we don't have the same author in both variables at the same time.

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Book Title="Database Systems in Practice"/>
  <Book Title="Database Systems in Practice"/>
  <Book Title="Oceans on Earth"/>
  <Book Title="Oceans on Earth"/>
  <Book Title="The Beach House"/>
  <Book Title="The Beach House"/>
</result>
```

As we can see in the result the same book may come in the result several times (based on the amount of pairs of authors that satisfied the condition). To remove these duplicates we can wrap the result in a new query (similar to nesting an SQL SELECT statement in the FROM clause of another):

```
<result>
{
  for $t in
    distinct-values(
      for $b in //Book, $a1 in $b/Author, $a2 in $b/Author
      where $a1/@Name != $a2/@Name and $a1/@Country = $a2/@Country
      order by $b/@Title
      return <Book Title="{ $b/@Title }"/>
    )
  return <Book Title="{ $t }"/>
}
</result>
```

Or another way of nesting:

```
<result>
{
for $t in //@Title
let $books :=
    for $b in //Book, $a1 in $b/Author, $a2 in $b/Author
    where $a1/@Name != $a2/@Name and $a1/@Country = $a2/@Country
    return <Book> { $b/@Title } </Book>
where $books/@Title = $t
order by $t
return <Book> { $t } </Book>
}
</result>
```

In this case we assign the result of the nested query to the variable `$books` and get the distinct book titles once again from the original source.

Another way to avoid the duplicates is to use the `exists()` function as illustrated here:

```
<result>
{
for $b in //Book
where exists(
    for $a1 in $b/Author, $a2 in $b/Author
    where $a1/@Name != $a2/@Name
    and $a1/@Country = $a2/@Country
    return 1)
order by $b/@Title
return <Book Title="{ $b/@Title }"/>
}
</result>
```

In this case the nested query checks if there exists at least one pair of authors that qualifies and then returns a symbolic 1 so the function `exists()` will evaluate to true. In this way the outer for clause goes through each book only once. The same condition can be expressed with an XPath predicate instead of a condition in the where clause:

```
<result>
{
for $b in //Book
where exists(
    for $a in $b/Author
    return $b/Author[@Name != $a/@Name and
        @Country = $a/@Country])
order by $b/@Title
return <Book Title="{ $b/@Title }"/>
}
</result>
```

5.11 Query 11: Queries from more than one XML Source

Show the publishers of books published in German (translation language) together with their country.

To solve this query we will need to use two files, `books.xml` and `publishers.xml`. Up to now we have used the GUI to specify the context (XML data for input) for the query but to solve this query we are going to use the `doc()` function.

As usual, we proceed in steps. First we will find the books translated into German. We can do this in different ways, but we will show, two ways: one using a predicate in the XPath expression and another using the `where` clause.

Using a predicate in the XPath expression:

```
<result>
{
for $book in //Translation[@Language = "German"]/../../
return
<Book> { $book/@Title } </Book>
}
</result>
```

Gives as a result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Book Title="Misty Nights"/>
  <Book Title="Contact"/>
  <Book Title="Music Now and Before"/>
  <Book Title="Musical Instruments"/>
  <Book Title="Oceans on Earth"/>
  <Book Title="Le chateau de mon pere"/>
</result>
```

Please note how we have navigated from a Translation node to a Book node by terminating the XPath expression with `“/../../”`.

Using a where clause:

```
<result>
{
for $book in //Book
where $book//Translation/@Language = "German"
return <Book> { $book/@Title } </Book>
}
</result>
```

Which gives us the same result.

Once we have the books with a translation in German we go to the second step, list publishers with their postal addresses ordered by postal code.

Note that up to now we have always written XPath expressions starting with `“/”`, this is because, as we said before, we have made use of the GUI (XQuisitor) to specify the **context**

of our query. For all the previous examples, the context has been the file `books.xml` but now, we need to query another file: `publishers.xml`. Instead of using the GUI for changing the context we will use the `doc()` function.

```
<result>
{
  for $p in doc("publishers.xml")//Publisher
  let $c := $p/Address/Country
  return <Publisher> { $p/@Name, $c } </Publisher>
}
</result>
```

The `doc()` function allows us to select the input data from an XML file. **Please observe** that you should make the **Base URI** in the GUI point to the directory in which the file `publishers.xml` resides!

The previous query gives the following result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Publisher Name="ABC International">
    <Country>Germany</Country>
  </Publisher>
  <Publisher Name="Addison">
    <Country>France</Country>
  </Publisher>
  <Publisher Name="Aurora Publ.">
    <Country>Italy</Country>
  </Publisher>
  ...
</result>
```

Now we only need to connect the two queries!

```
<result>
{
  for $b in //Book,
    $p in doc("publishers.xml")//Publisher
  let $c := $p/Address/Country
  where $b//Translation/@Language = "German" and
        $b//Translation/@Publisher = $p/@Name
  order by $c
  return
  <Publisher> { $p/@Name, $c } </Publisher>
}
</result>
```

Which we could also write in a more compact way, making use of a variable:

```
<result>
{
for $b in //Book,
    $p in doc("publishers.xml")//Publisher
let $c := $p/Address/Country,
    $t := $b//Translation
where $t/@Language = "German" and $t/@Publisher = $p/@Name
order by $c
return <Publisher> { $p/@Name, $c } </Publisher>
}
</result>
```

Which gives the result we wanted:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Publisher Name="Kingsly">
    <Country>Austria</Country>
  </Publisher>
  <Publisher Name="Benton Inc">
    <Country>England</Country>
  </Publisher>
  <Publisher Name="Addison">
    <Country>France</Country>
  </Publisher>
  <Publisher Name="ABC International">
    <Country>Germany</Country>
  </Publisher>
  <Publisher Name="ABC International">
    <Country>Germany</Country>
  </Publisher>
  <Publisher Name="ABC International">
    <Country>Germany</Country>
  </Publisher>
  <Publisher Name="Aurora Publ.">
    <Country>Italy</Country>
  </Publisher>
  <Publisher Name="RP">
    <Country>Russia</Country>
  </Publisher>
  <Publisher Name="SCB">
    <Country>Sweden</Country>
  </Publisher>
</result>
```

But, if we look at the result, “ABC International” is repeated three times! Once again we can use the `exists()` function to avoid the duplicates as we showed in a previous query:

```
<result>
{
for $p in doc("publishers.xml")//Publisher
let $c := $p/Address/Country
where exists(
  for $b in //Book
  let $t := $b//Translation
  where $t/@Language = "German" and $t/@Publisher = $p/@Name
  return 1
)
order by $c
return <Publisher> { $p/@Name, $c } </Publisher>
}
</result>
```

Note that we have interpreted the question to mean that the publisher does not need to be the publisher of the German translation, but of any translation of a book translated to German. If the other interpretation is correct, then each translation should be checked separately, which can be done with the following expression:

```
<result>
{
for $p in doc("publishers.xml")//Publisher
let $c := $p/Address/Country
where exists(//Translation[@Language = "German" and
                           @Publisher = $p/@Name])
order by $c
return <Publisher> { $p/@Name, $c } </Publisher>
}
</result>
```

5.12 Query12: Query Based on the Name of Nodes (Labels)

Show a list of all attribute names that contain the letter "i".

With this query, we want to show how to access the information about the types of nodes (element, attribute, text, ...) and their names. First we write a query that will list all the attribute names:

```
<result>
{
for $a in //@*
order by name($a)
return <attribute> { name($a) } </attribute>
}
</result>
```

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <attribute>Country</attribute>
  ...
  <attribute>Country</attribute>
  <attribute>Email</attribute>
  ...
  <attribute>Email</attribute>
  <attribute>Genre</attribute>
  ...
  <attribute>Genre</attribute>
  <attribute>Language</attribute>
  ...
  <attribute>Language</attribute>
  <attribute>Name</attribute>
  ...
  <attribute>Name</attribute>
  <attribute>OriginalLanguage</attribute>
  ...
  <attribute>OriginalLanguage</attribute>
  <attribute>Price</attribute>
  ...
  <attribute>Price</attribute>
  ...
</result>
```

As you can see, we use the function `name()` to get the name of the node and the XPath expression `"//*[@*]"` that evaluates to any attribute. We get many duplicates, which we can remove the same way we have done in previous examples:

```
<result>
{
  for $at in distinct-values(
    for $a in //*
    order by name($a)
    return <attr> { name($a) } </attr>
  )
  return <attribute>{ $at }</attribute>
}
</result>
```

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <attribute>Country</attribute>
  <attribute>Email</attribute>
  <attribute>Genre</attribute>
  <attribute>Language</attribute>
  <attribute>Name</attribute>
  <attribute>OriginalLanguage</attribute>
  <attribute>Price</attribute>
  <attribute>Publisher</attribute>
  <attribute>Title</attribute>
  <attribute>Year</attribute>
  <attribute>YearOfBirth</attribute>
</result>
```

Now, we only need to add the constraint on the name of the attribute:

```
<result>
{
  for $at in distinct-values(
    for $a in //@*
    order by name($a)
    return <attr> { name($a) } </attr>
  )
  where matches($at, "i")
  return <attribute>{ $at } </attribute>
}
</result>
```

Result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <attribute>Email</attribute>
  <attribute>OriginalLanguage</attribute>
  <attribute>Price</attribute>
  <attribute>Publisher</attribute>
  <attribute>Title</attribute>
  <attribute>YearOfBirth</attribute>
</result>
```

If we instead use the function `name()` in the XPath expression, we can simplify the solution:

```
<result>
{
  for $at in distinct-values(//@*/name()[matches(., "i")])
  return <attribute>{ $at } </attribute>
}
</result>
```

5.13 Using computed constructors

In most of the examples in this chapter we have created the output by manually writing the element tags, attribute names, equal signs, quotes, etc. XQuery offers a set of computed constructors in order to create nodes in a simpler way. There are computed constructors for elements, attributes (the one we discussed in section 5.9), comments, etc. The following expressions produce the same result. The first one does not use any computed constructors, while the second one only uses computed constructors:

```
<result>
{
  for $x in (3 to 5), $y in (2 to 4)
  return <Addition X="{ $x }" Y="{ $y }">
    <Result>{ $x+$y }</Result>
  </Addition>
}
</result>
```

```
element result
{
  for $x in (3 to 5), $y in (2 to 4)
  return element Addition {attribute X {$x},
                           attribute Y {$y},
                           element Result {$x+$y}}
}
```

Both expressions produce the following result:

```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <Addition X="3" Y="2">
    <Result>5</Result>
  </Addition>
  <Addition X="3" Y="3">
    <Result>6</Result>
  </Addition>
  <Addition X="3" Y="4">
    <Result>7</Result>
  </Addition>
  <Addition X="4" Y="2">
    <Result>6</Result>
  </Addition>
  <Addition X="4" Y="3">
    <Result>7</Result>
  </Addition>
  <Addition X="4" Y="4">
    <Result>8</Result>
  </Addition>
  <Addition X="5" Y="2">
    <Result>7</Result>
  </Addition>
  <Addition X="5" Y="3">
    <Result>8</Result>
  </Addition>
  <Addition X="5" Y="4">
    <Result>9</Result>
  </Addition>
</result>
```

The node name may also be dynamically created when using computed constructors. Here is an example:

```
element result
{
  for $x in ("A","B","C")
  let $y := attribute {$x} {"attvalue"}
  return element {$x} {$y, "textcontent"}
}
```

And the result looks like this:


```
<?xml version="1.0" encoding="UTF-8"?>
<result>
  <A A="attvalue">textcontent</A>
  <B B="attvalue">textcontent</B>
  <C C="attvalue">textcontent</C>
</result>
```

6 XQuery 3

All the examples in the earlier chapters are based on XQuery 1 and are possible to execute in XQuisitor that only supports XQuery 1. XQuery 3 adds some new functionality like a `group by` clause and a `switch` expression. There are some commercial products that can be used to execute XQuery 3 expressions. One free option is BaseX which is available for download at <http://basex.org/>


6.1 BaseX

BaseX is a free open source XQuery processor that supports XQuery 3.1. It has a simple user interface that is similar to XQuisitor. There is a possibility to configure a default context (called a database, but it is an XML file). There is one text area for the query and one text area for the result. Errors are shown below the query area and it is possible to show an extra pane with "Query info" where errors or execution details will appear. Here is BaseX with the a query from section 5.1 executed:



The selected database (default context) is shown in the window title as [books]. Use the Database menu to open (or create) a database.

And here is a simple example using XQuery 3 executed in BaseX:



7 Epilogue

We hope you enjoyed working through the examples! Please, do not hesitate to send comments or questions to the authors so we can improve this document!

/Rafa & nikos

8 References

- [1] *XQuery: An XML query language*. D. Chamberlin.
IBM Systems Journal, Vol 41, No 4, 2002.
URL: <http://www.research.ibm.com/journal/sj/414/chamberlin.html>
- [2] *XQuery 1.0: An XML Query Language*. W3C.
URL: <http://www.w3.org/TR/xquery/>
- [3] *XQuery 1.0 and XPath 2.0 Functions and Operators*. W3C.
URL: <http://www.w3.org/TR/xpath-functions/>
- [4] *XQuisitor*. Elliotte Rusty Harold.
URL: <http://www.ibiblio.org/xml/xquisitor/>
- [5] *Free Software*. Wikipedia.
URL: http://en.wikipedia.org/wiki/Free_Software
- [6] *Serialization*. Wikipedia.
URL: <http://en.wikipedia.org/wiki/Serialization>
- [7] *Uniform Resource Identifier (URI)*. Wikipedia.
URI: http://en.wikipedia.org/wiki/Uniform_Resource_Identifier